

EXPERT FEMUR

NAILING SYSTEM

www.auxein.com



FEMUR NAILING SYSTEM

www.auxein.com

Expert Femur Nail



Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)	Dimensions
1459-9-320L	TI-1459-9-320L	1459-9-320R	TI-1459-9-320R	Ø9mm x Length 320mm
1459-9-340L	TI-1459-9-340L	1459-9-340R	TI-1459-9-340R	Ø9mm x Length 340mm
1459-9-360L	TI-1459-9-360L	1459-9-360R	TI-1459-9-360R	Ø9mm x Length 360mm
1459-9-380L	TI-1459-9-380L	1459-9-380R	TI-1459-9-380R	Ø9mm x Length 380mm
1459-9-400L	TI-1459-9-400L	1459-9-400R	TI-1459-9-400R	Ø9mm x Length 400mm
1459-9-420L	TI-1459-9-420L	1459-9-420R	TI-1459-9-420R	Ø9mm x Length 420mm
1459-10-320L	TI-1459-10-320L	1459-10-320R	TI-1459-10-320R	Ø10mm x Length 320mm
1459-10-340L	TI-1459-10-340L	1459-10-340R	TI-1459-10-340R	Ø10mm x Length 340mm
1459-10-360L	TI-1459-10-360L	1459-10-360R	TI-1459-10-360R	Ø10mm x Length 360mm
1459-10-380L	TI-1459-10-380L	1459-10-380R	TI-1459-10-380R	Ø10mm x Length 380mm
1459-10-400L	TI-1459-10-400L	1459-10-400R	TI-1459-10-400R	Ø10mm x Length 400mm
1459-10-420L	TI-1459-10-420L	1459-10-420R	TI-1459-10-420R	Ø10mm x Length 420mm
1459-10-440L	TI-1459-10-440L	1459-10-440R	TI-1459-10-440R	Ø10mm x Length 440mm
1459-11-320L	TI-1459-11-320L	1459-11-320R	TI-1459-11-320R	Ø11mm x Length 320mm
1459-11-340L	TI-1459-11-340L	1459-11-340R	TI-1459-11-340R	Ø11mm x Length 340mm
1459-11-360L	TI-1459-11-360L	1459-11-360R	TI-1459-11-360R	Ø11mm x Length 360mm
1459-11-380L	TI-1459-11-380L	1459-11-380R	TI-1459-11-380R	Ø11mm x Length 380mm
1459-11-400L	TI-1459-11-400L	1459-11-400R	TI-1459-11-400R	Ø11mm x Length 400mm
1459-11-420L	TI-1459-11-420L	1459-11-420R	TI-1459-11-420R	Ø11mm x Length 420mm
1459-11-440L	TI-1459-11-440L	1459-11-440R	TI-1459-11-440R	Ø11mm x Length 440mm
1459-12-320L	TI-1459-12-320L	1459-12-320R	TI-1459-12-320R	Ø12mm x Length 320mm
1459-12-340L	TI-1459-12-340L	1459-12-340R	TI-1459-12-340R	Ø12mm x Length 340mm
1459-12-360L	TI-1459-12-360L	1459-12-360R	TI-1459-12-360R	Ø12mm x Length 360mm
1459-12-380L	TI-1459-12-380L	1459-12-380R	TI-1459-12-380R	Ø12mm x Length 380mm
1459-12-400L	TI-1459-12-400L	1459-12-400R	TI-1459-12-400R	Ø12mm x Length 400mm
1459-12-420L	TI-1459-12-420L	1459-12-420R	TI-1459-12-420R	Ø12mm x Length 420mm
1459-12-440L	TI-1459-12-440L	1459-12-440R	TI-1459-12-440R	Ø12mm x Length 440mm
1459-13-320L	TI-1459-13-320L	1459-13-320R	TI-1459-13-320R	Ø13mm x Length 320mm
1459-13-340L	TI-1459-13-340L	1459-13-340R	TI-1459-13-340R	Ø13mm x Length 340mm
1459-13-360L	TI-1459-13-360L	1459-13-360R	TI-1459-13-360R	Ø13mm x Length 360mm
1459-13-380L	TI-1459-13-380L	1459-13-380R	TI-1459-13-380R	Ø13mm x Length 380mm
1459-13-400L	TI-1459-13-400L	1459-13-400R	TI-1459-13-400R	Ø13mm x Length 400mm
1459-13-420L	TI-1459-13-420L	1459-13-420R	TI-1459-13-420R	Ø13mm x Length 420mm
1459-13-440L	TI-1459-13-440L	1459-13-440R	TI-1459-13-440R	Ø13mm x Length 440mm

6.5mm Hip Screws, Self Tapping



Stainless Steel	Titanium	Length
1459-060	TI-1459-060	60mm
1459-065	TI-1459-065	65mm
1459-070	TI-1459-070	70mm
1459-075	TI-1459-075	75mm
1459-080	TI-1459-080	80mm
1459-085	TI-1459-085	85mm
1459-090	TI-1459-090	90mm
1459-095	TI-1459-095	95mm
1459-100	TI-1459-100	100mm
1459-105	TI-1459-105	105mm
1459-110	TI-1459-110	110mm
1459-115	TI-1459-115	115mm
1459-120	TI-1459-120	120mm
1459-125	TI-1459-125	125mm
1459-130	TI-1459-130	130mm

4.8mm Locking Screws for Expert Femur Nail



Stainless Steel	Titanium	Length
1458-4.8-026	TI-1458-4.8-026	26mm
1458-4.8-028	TI-1458-4.8-028	28mm
1458-4.8-030	TI-1458-4.8-030	30mm
1458-4.8-032	TI-1458-4.8-032	32mm
1458-4.8-034	TI-1458-4.8-034	34mm
1458-4.8-036	TI-1458-4.8-036	36mm
1458-4.8-038	TI-1458-4.8-038	38mm
1458-4.8-040	TI-1458-4.8-040	40mm
1458-4.8-042	TI-1458-4.8-042	42mm
1458-4.8-044	TI-1458-4.8-044	44mm
1458-4.8-046	TI-1458-4.8-046	46mm
1458-4.8-048	TI-1458-4.8-048	48mm
1458-4.8-050	TI-1458-4.8-050	50mm
1458-4.8-052	TI-1458-4.8-052	52mm
1458-4.8-054	TI-1458-4.8-054	54mm
1458-4.8-056	TI-1458-4.8-056	56mm
1458-4.8-058	TI-1458-4.8-058	58mm
1458-4.8-060	TI-1458-4.8-060	60mm
1458-4.8-062	TI-1458-4.8-062	62mm
1458-4.8-064	TI-1458-4.8-064	64mm

End Cap, Expert Femur Nail



Stainless Steel	Titanium	Length
1459-01	TI-1459-01	0
1459-05	TI-1459-05	5
1459-10	TI-1459-10	10
1459-15	TI-1459-15	15
1459-20	TI-1459-20	20

Femur Nail Instruments


1459-001
Cannulated Awl




1459-002
Entry Reamer



1459-003
T-Handle with Quick Coupling



1459-004
Ball Tip Guide Wire



1459-005
Insertion Handle



1459-006
Flexible Reamer Shaft



1459-007
Reduction Rod



1459-008
Reamer Head, Ø8.5mm



1459-009
Reamer Head, Ø9mm



1459-010
Reamer Head, Ø9.5mm



1459-011
Reamer Head, Ø10mm



1459-012
Reamer Head, Ø10.5mm



1459-013
Reamer Head, Ø11mm



1459-014
Reamer Head, Ø11.5mm



1459-015
Reamer Head, Ø12mm



1459-016
Reamer Head, Ø12.5mm



1459-017
Reamer Head, Ø13mm



1459-018
Reamer Head, Ø13.5mm



1459-019
Reamer Head, Ø14mm



1459-020
Nail Holding Bolt



1459-021
Long Screw Driver for Locking Screw, SW 3.5




1459-022
Sliding Hammer



1459-023
Proximal Aiming Bar



1459-024
Proximal Bolt



1459-025
Bolt Wrench, SW 5.0



1459-026
Proximal Aiming Device.(For Hip Screw)



1459-027
Distal Aiming Bar



1459-028
Distal Aiming Device Bolt



1459-029
Distal Targeter



1459-030
Outer Drill Sleeve



1459-031
Trocar for Sleeves




1459-032
Drill Sleeve, Ø4.0mm



1459-033
Drill Bit, Ø5.2mm



1459-034
Positioning Rod Drill, Ø5.2mm



1459-035
Positioning Rod



1459-036
E-Block



1459-037
Outer Drill Sleeve



1459-038
Drill Sleeve



1459-039
Trocar



1459-040
Sleeve



1459-041
Trocar



1459-042
Drill Bit, Ø4.3mm



1459-043
Screw Length Gauge



1459-044
Screw Driver for Locking Screw, SW 3.5



1459-045
Guide Bolt Wrench, Ball Tip



1459-046
Distal Bolt



1459-047
Threaded Guide Wire, Ø2.5mm x 320mm



1459-048
Guide Wire, Ø2.5mm x 320mm



1459-049
Direct Measuring Device



1459-050
Tissue Protector



1459-051
Drill Bit with Stopper



1459-052
Sleeve for Guide Wire



1459-053
Protection Sleeve



1459-054
Impactor - Extractor Rod



1459-055
Guide Wire Holder



1459-056
Distal Screw Device (Static/ Dynamic Locking)



1459-057
Spanner



1459-058
Impactor



1459-059
Compression Bolt



1459-060
Guide Pin ,Ø3.2mm



1459-061
Drill Bit with Stopper, Ø4.3mm



1459-062
Trocar




1459-063
Radiographic Rular




1459-064
Depth Gauge




1459-065 Tray



1459-066 Container



INS-1459 Expert Femur Nail Instrument Set



INS-1459 Expert Femur Nail Instrument Set

Code	Set Consisting of	Units
1459-001	Cannulated Awl	01
1459-002	Entry Reamer	01
1459-003	T-Handle with Quick Coupling	01
1459-004	Ball Tip Guide Wire	01
1459-005	Inserion Handle	01
1459-006	Flexible Reamer Shaft	02
1459-007	Reduction Rod	01
1459-008	Reamer Head, Ø8.5mm	01
1459-009	Reamer Head, Ø9.0mm	01
1459-010	Reamer Head, Ø9.5mm	01
1459-011	Reamer Head, Ø10.0mm	01
1459-012	Reamer Head, Ø10.5mm	01
1459-013	Reamer Head, Ø11.0mm	01
1459-014	Reamer Head, Ø11.5mm	01
1459-015	Reamer Head, Ø12.0mm	01
1459-016	Reamer Head, Ø12.5mm	01
1459-017	Reamer Head, Ø13.0mm	01
1459-018	Reamer Head, Ø13.5mm	01
1459-019	Reamer Head, Ø14.0mm	01
1459-020	Nail Holding Bolt	02
1459-021	Long Screw Driver for Locking Screw, SW 3.5	01
1459-022	Sliding Hammer	01
1459-023	Proximal Aiming Bar	01
1459-024	Proximal Bolt	02
1459-025	Bolt Wrench, SW 5.0	01
1459-026	Proximal Aiming Device.(For Hip Screw)	01
1459-027	Distal Aiming Bar	01
1459-028	Distal Aiming Device Bolt	01
1459-029	Distal Targeter	01
1459-030	Outer Drill Sleeve	01
1459-031	Trocar for Sleeves	01
1459-032	Drill Sleeve, Ø4.0mm	01
1459-033	Drill Bit, Ø5.2mm	01
1459-034	Positioning Rod Drill, Ø5.2mm	01
1459-035	Positioning Rod	01
1459-036	E-Block	01

Code	Set Consisting of	Units
1459-037	Outer Drill Sleeve	02
1459-038	Drill Sleeve	02
1459-039	Trocar	01
1459-040	Sleeve	02
1459-041	Trocar	01
1459-042	Drill Bit, Ø4.3mm	02
1459-043	Screw Length Gauge	01
1459-044	Screw Driver for Locking Screw, SW 3.5	01
1459-045	Guide Bolt Wrench, Ball Tip	01
1459-046	Distal Bolt	01
1459-047	Threaded Guide Wire, Ø2.5mm x 320mm	03
1459-048	Guide Wire, Ø2.5mm x 320mm	03
1459-049	Direct Measuring Device	01
1459-050	Tissue Protector	01
1459-051	Drill Bit with Stopper	01
1459-052	Sleeve for Guide Wire	01
1459-053	Protection Sleeve	01
1459-054	Impactor - Extractor Rod	01
1459-055	Guide Wire Holder	01
1459-056	Distal Screw Device (Static/ Dynamic Locking)	01
1459-057	Spanner	01
1459-058	Impactor	01
1459-059	Compression Bolt	01
1459-060	Guide Pin ,Ø3.2mm	02
1459-061	Drill Bit with Stopper, Ø4.3mm	01
1459-062	Trocar	01
1459-063	Radiographic Rular	01
1459-064	Depth Gauge	01
1459-065	Tray	02
1459-066	Container	01



Corporate Office

7/A, Nirankari Colony, Delhi-110009, India

Manufacturing

Plot No. 169-170, Phase-IV, Sector-57, Kundli Industrial Area,
HSIIDC, Sonapat-131028, Haryana, India

Tel: +91 130 6660666 (100 Lines) | Fax: +91 130 6660660

Email: info@auxein.com | Web: www.auxein.com

